

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

LISTING OF CLAIMS:

1. (Currently Amended) A vehicular glazing panel comprising:
a pane of glass,
a first electrically conductive component which exists on a surface of
the pane of glass, and
a second electrically conductive component which is joined to the first
component by a lead-free solder,
wherein the lead-free solder includes tin in an amount that is less than
50% by weight and a mechanical stress modifier, which inhibits the occurrence of a
stress fault in the pane of glass in the region of the solder, in the form of bismuth
metal and/or antimony metal.

2-3. (Canceled)

4. (Previously Presented) A glazing panel as claimed in claim 1 wherein
a fall in the stress (σ) generated in the pane of glass, after an initial rise, is described
as a function of time (t) by:

$$\sigma = A t^n$$

wherein n is a measure of the creep rate of the lead-free solder and has a value less
than -0.130.

5. (Previously Presented) A glazing panel as claimed in claim 1 wherein the surface of the pane of glass is provided around its periphery with a fired-ink band, on top of which the first electrically conductive component at least partially exists.

6. (Original) A glazing panel as claimed in claim 5 wherein the pane of glass is toughened and the stress fault therein manifests itself as blisters in the fired-ink band and in the corresponding regions of glass.

7. (Original) A glazing panel as claimed in claim 5 wherein the pane of glass is one ply of a laminate and the stress fault in the pane of glass manifests itself as one or more cracks therein.

8. (Previously Presented) A glazing panel as claimed in claim 1 wherein the stress fault in the glazing panel manifests itself as a structural defect in the interface between the solder and the first electrically conductive component.

9. (Previously Presented) A glazing panel as claimed in claim 1 wherein the first and second electrically conductive components comprise a busbar and an electrical connector respectively.

10. (Previously Presented) A glazing panel as claimed in claim 1 wherein the first and second electrically conductive components comprise an

antenna element and an antenna connector respectively.

11. (Currently Amended) A method Use of lead-free solder for joining
together two or more electrically conductive components that are comprised in a
vehicular glazing panel, which includes a pane of glass, the method comprising
soldering the two or more electrically conductive components utilizing a wherein the
lead-free solder that includes tin in an amount that is less than 50% by weight and a
mechanical stress modifier, which inhibits the occurrence of a stress fault in the pane
of glass in the region of the solder, in the form of bismuth metal and/or antimony
metal.

12-19. (Canceled)